CUMULATIVE INDEX 1998

Volume 15

January	HEALING THE DIABETIC WOUND, pages 1–178
April	*HIV AND THE LOWER EXTREMITIES, pages 179–387*
July	LOWER EXTREMITY MANIFESTATIONS OF SYSTEMIC DISEASE, *PART I, pages 389–567*
October	LOWER EXTREMITY MANIFESTATIONS OF SYSTEMIC DISEASE, *PART II, pages 569–797*

Note: Page numbers of article titles are in **boldface** type.

Abacavir, in HIV infection, 237
Abdomen, examination of, in systemic disease, 613–617
ABT378 protease inhibitor, in HIV infection, 237
Acarbose, pharmacology of, 697–698
Achilles tendon, lengthening of, in diabetic ulcer prevention, 168
  tenotomy of, in muscular dystrophies, 729
Acitretin, in keratoses, 400
Acne vulgaris, distribution of, 571
Acquired immunodeficiency syndromes. See *Human immunodeficiency virus infection.*
Acrocyanosis, 639–640
Acrodermatitis enteropathica, 400
Acrokeratosis paraneoplastica (Bazex's syndrome), 395
ADA. See *Americans with Disability Act of 1990.*
Adefovir dipivoxil, in HIV infection, 238
Afibrinogenemia, 508
AIDS. See *Human immunodeficiency virus infection.*
Air embolism, venous, 533
Albumin measurement, in differential diagnosis, 756
Alcohols, in bloodborne pathogen protection, 356
Alkaline phosphatase measurement, in differential diagnosis, 756
Americans with Disability Act of 1990, HIV infection and, 205
  case examples, 211–218
  direct defense in, 220–222
  referral procedure, 205–207
5-Aminosalicylic acid, in inflammatory bowel disease, 424, 426
Amitriptyline, in distal symmetric polyneuropathy, in HIV infection, 290
Amputation, in diabetic foot
  complications, 11
  as risk factor for subsequent ulcers, 13, 159–160
  costs of, 30–32
  impact of, 49
  in cardiovascular disease, 27–28, 159
  in edema, 27
  in infection, 26–27
  in ischemia, 59
  in peripheral neuropathy, 12, 24, 27, 158
  long-term risks of, 43–45
  prevention of, 155–156
  risk factors for, 15–17, 157–164
  social factors in, 29–30
  versus ulcer cause, 21–22
  versus ulcer site, 23
  in peripheral vascular disease, 660
Amyotrophic lateral sclerosis, 716–717
Amyotrophy, diabetic, 724
Anabolic agents, in HIV infection, 247
Analgesics, in HIV infection, 245–246
Anemia, in HIV infection, 269–270, 292–293
Anesthesia, in myocardial infarction, 531–532

Aneurysms, aortic, 529
Angiitis, leukocytoclastic, 403–404, 406
Angiogenesis, in healing, 4
Angiography, in diabetic ischemia, 62, 65
in peripheral vascular disease, 652–657
Angioplasty, balloon, in peripheral vascular disease, 661
Anhidrosis, differential diagnosis of, 743–744
Ankle-brachial index, in cardiovascular disease, 525–526
in peripheral vascular disease, 646
Ankle-foot orthosis, in weakness, in HIV infection, 337–338
Ankle joint, neuropathic, 459
rheumatoid arthritis of, 442
Ankylosing spondylitis, 448–450
in inflammatory bowel disease, 419
Anthralin, in keratoses, 399
Antibiotics, in HIV infection, 244–245
in renal disease, 521
Anticoagulants, in deep venous thrombosis, 664–665
Anticonvulsants, in distal symmetric polyneuropathy, in HIV infection, 290
Antidepressants, 625–626
in HIV infection, 246–247
in distal symmetric polyneuropathy, 290
Antifungal agents, in onychomycosis, in HIV infection, 312–313
Antiphospholipid syndrome, ulceration in, 537
Antiproliferative agents, in keratoses, 398–399
Antiretroviral agents, in HIV infection, **227–239**, 241–244, 265–267
abacavir, 237
ABT378, 237
adefovir dipivoxil, 238
combinations of, 227
delavirdine, 233–234, 242–243
didanosine (Videx), 230–231, 242, 266
distal symmetric polyneuropathy from, 290–292
DMP266, 237
drug interactions of, 243–244
Glaxo-Wellcome 141W94, 237
indinavir, 235–236, 242, 267
investigational, 237–238
lamivudine, 231–232, 242
nelfinavir, 236, 242
nevirapine (Virammune), 232–233, 242, 266–267
ritonavir, 235, 242–243, 267
saquinavir, 234–235, 242, 267
side effects of, 242
stavudine, 231, 242
zalcitabine (Hivid), 229, 242, 266
zidovudine, 228–229, 242, 265–266
Anxiety, 621–624
Aorta, aneurysms of, 529
coarctation of, 526–527
palpation of, 608
Aperture padding, for diabetic wounds, 107
Aphasia, in HIV infection, 287
Appetite stimulants, in HIV infection, 247
Arginine-glycine-aspartic acid peptide matrix, in diabetic wound healing, 122–123
Arsenic intoxication, 395
Arteries, emboli in, 527, 529–530
Mönckeberg's calcific sclerosis of, in diabetes mellitus, 61–62
occlusive disease of. See *Peripheral vascular disease, arterial.*
Arteriography, in diabetic ischemia, 62, 65
in peripheral vascular disease, 652–657
Arthritis, degenerative, 466, 468, 470
differential diagnosis of, 762
gouty, 456
in HIV infection, 471–473, 674
physical therapy for, 339–341
in inflammatory bowel disease, 417–420
in Lyme disease, 681–682
in Reiter's syndrome, 452–455
in systemic lupus erythematosus, 464–465
juvenile chronic, 492–493
psoriatic, 450–452
in HIV infection, 674
reactive, 452–455
in HIV infection, 674
rheumatoid, 436–444
septic. See also *Infections, skeletal.*
in HIV infection, 340
tuberculous, 675
Arthrogryposis multiplex, clubfoot in, 489
Arthropathies, crystal, 456
hypertrophic osteoarthropathy, 419–420, 470
neuropathic, 456, 458–464
seronegative, 444, 446–455
Arthroplasty, prophylactic, in diabetic foot care, 167
Artificial skin, in diabetic wounds, **129–137**
Ascites, detection of, 615–616
Aspergillosis, skeletal, 679, 678
Ataxia, Friedreich's, 716
in cerebellar lesions, in HIV infection, 286
in cerebral palsy, 715
Atherectomy, in peripheral vascular disease, 662
Atheroembolic disease (blue toe syndrome), 638
Atherosclerosis, arterial occlusion in, 530, 631–634
in diabetes mellitus, 43–44

control of, 54
ischemic pattern in, 51–52
Atopic dermatitis, distribution of, 571
Autoclaves, in bloodborne pathogen protection, 353–354
Autonomic neuropathy, in diabetes mellitus, microcirculatory effects of, 89
in HIV infection, 334
Axon reflex vasodilation, in diabetes mellitus, microcirculatory effects of, 89
Azathioprine, in inflammatory bowel disease, 427
Azotemia, 517–518
AZT (zidovudine), in HIV infection, 228–229, 242, 265–266

Babinski's sign, in myelopathy, in HIV infection, 300
Bacterial endocarditis, 404–406, 534–535
Balance testing, in neuromuscular disorders, 710
Balloon angioplasty, in peripheral vascular disease, 661
Basal cell carcinoma, in HIV infection, 279
Basal cell nevus syndrome, 395–396
Bazex's syndrome, 395
Becker's muscular dystrophy, 729–730
Benzodiazepines, in anxiety, 623
Biguanides, pharmacology of, 698–700
Bilirubin measurement, in differential diagnosis, 756
Biologic dressings, in diabetic wounds, **129–137**
Biopsy, in neuromuscular disorders, 713
Blastomycosis, skeletal, 679
Bleomycin, in verrucae, in HIV infection, 324–325
Blistering diseases, 399–402
Bloodborne pathogen exposure, **363–378**
historical aspects of, 364
immediate action after, 367–370
prevention of, **347–361**, 372–373
background information on, 347–350
chemical barriers in, 353–359
physical barriers in, 350–353
planning for, 359–360
procedural barriers in, 355, 359
thermal barriers in, 353–355
reporting of, 372
risks of, to health care worker, 348–350, 364–366, 370–371
to patient, 366–367
treatment of, 371–372
Blood coagulation, disorders of. See *Coagulopathies.*
Blood flow, insufficient, in diabetes mellitus. See *Ischemia, in diabetes mellitus.*
measurement of, in peripheral vascular disease, 647, 649–650
Blood pressure, assessment of, 599, 602
Blood supply, in extremities, evaluation of, 609–610
Blood tests, in differential diagnosis, 756–760
in neuromuscular disorders, 711–712
Blood urea nitrogen measurement, in differential diagnosis, 756
Blue toe syndrome, 638
Bone, infections of. See *Infections, skeletal.*
resorption of, 473–476
in neuropathic arthropathy, 459
in renal disease, 519–520
Borreliosis, skeletal manifestations of, 681–682
Botulism, 727
Bowel sounds, auscultation of, 614–615
Brachial pulse, assessment of, 607
Brachymetatarsia, 491–492
Brain lesions, cerebral palsy in, 713–716
in HIV infection, 287
physical therapy and, 332–333
Brain stem lesions, in HIV infection, 286
Breast examination, in systemic disease, 610–613
Brucellosis, skeletal, 684
Bruits, abdominal, detection of, 608
Buerger's disease, 639
Bullous diseases, 399–402
Bunion, diabetic ulcers in, 13
preventive surgery for, 167
Bursitis, in syphilis, 683
retrocalcaneal, in ankylosing spondylitis, 449
Buspirone, in anxiety, 623

Calcanectomy, in diabetic ulcer prevention, 168
Calcaneonavicular coalition, 484
Calcaneovalgus flatfoot, 483, 486
Calcaneus, spurs on, in ankylosing spondylitis, 449
Calcification, arterial, in peripheral vascular disease, in diabetes mellitus, 635–636
Calcific sclerosis, Mönckeberg's, in diabetes mellitus, 61–62
Calcium measurement, in differential diagnosis, 757
Cancer, digital ischemia in, 537
in HIV infection, 268, 277, 279, 338
Lambert-Eaton syndrome in, 727
lymphedema in, 666
skin, examination for, 570
Candidiasis, in HIV infection, 272–273
in onychomycosis, 306–309, 311–313

Candidiasis *(Continued)*
skeletal, 676
Cantharidin, in keratoses, 399
Capsaicin cream, in distal symmetric polyneuropathy, in HIV infection, 290
Carcinoma, basal cell, in HIV infection, 279
Cardiac disorders, in HIV infection, physical therapy and, 331
Cardiovascular disease, **523–540**, 559–561. See also *Peripheral vascular disease; Vasculitis.*
ankle-brachial index evaluation in, 525–526
arterial occlusive, 528–530
clubbing in, 535–536
congenital, 526–538
edema in, 534
endocarditis, 404–406, 534–535
history in, 524
in diabetes mellitus, wound healing in, 27–28
myocardial infarction, 531–532
physical examination in, 524–525
procedures for, complications of, 530–531
venous, 532–533
Carnitine, in distal symmetric polyneuropathy, in HIV infection, 291
Carotid artery, auscultation of, 607–608
palpation of, 603
Casts, total contact, for diabetic wounds, 97–99
Catheterization, femoral artery, complications of, 531
Cavus foot, in Charcot-Marie-Tooth disease, 723–724
Cerebellar lesions, in HIV infection, 286
Cerebral palsy, 713–716
Cerebrospinal fluid analysis, in HIV infection, in distal symmetric polyneuropathy, 289
in Guillain-Barré syndrome, 293–294
Charcot arthropathy, endothelial function in, 91
ulcers in, 160–161
Charcot foot, 456, 458–464
Charcot-Marie-Tooth disease, 722–724
Chemical barriers, to bloodborne pathogens, 353–359
Chest, examination of, in systemic disease, 594–598
Chlorine compounds, in bloodborne pathogen protection, 356
Cholesterol measurement, in differential diagnosis, 757
Chronic inflammatory demyelinating polyneuropathy, 721–722
in HIV infection, 294–295
Churg-Strauss syndrome, 406
Ciclopirox, in onychomycosis, in HIV infection, 312
Circulation, evaluation of, 609–610
Claudication, in diabetes mellitus, ischemia in, 56, 69
ulcer outcome and, 24
vascular evaluation in, 67, 70
intermittent, in peripheral vascular disease, 633–634, 659
Cleansers, in diabetic wound healing, 147
Closure, of diabetic wounds, skin stretching technique in, **109–116**
Clubbing, of toes, in cardiovascular disease, 535–536
in inflammatory bowel disease, 419–420
Clubfoot, 487–489, 526–527
Coagulation, in healing, 3–4
Coagulopathies, **499–512**, 553–555
clot stabilization defects, 502–504
disseminated intravascular, 509–512
hemostasis defects, primary, 500–501
secondary, 502–504
in factor V deficiency, 504
in factor VII deficiency, 504
in factor VIII deficiency, 504–506
in factor IX deficiency, 506
in factor X deficiency, 506
in factor XI deficiency, 506–507
in factor XII deficiency, 507
in factor XIII deficiency, 507
in fibrinogen deficiency and defects, 508
in liver disease, 509
in prothrombin deficiency, 507–508
in vitamin K deficiency, 508–509
in von Willebrand's disease, 501–502
Coccidioidomycosis, skeletal, 678
Colitic arthritis, 419
Colitis, ulcerative. See *Inflammatory bowel disease.*
Collagen synthesis, in healing, 86
in diabetes mellitus, 42
Collagen vascular diseases, 464–466
Composite living skin equivalents, for diabetic wound healing, 135–136
Compression, pneumatic, in lymphedema, 668–669
Compression neuropathies, 724–726
Computed tomography, in neuromuscular disorders, 712
Consultation, duty to, in HIV infection, 206
Contractures, in cerebral palsy, 716
Contrast agents, for angiography, in peripheral vascular disease, 652, 654
Convex pes valgus, 482–483
Coordination, in neuromuscular disorders, 710
Coronary artery bypass, graft site complications in, 530–531

Corticosteroids, in inflammatory bowel disease, 427
pharmacology of, 691–694
Costs, of diabetic ulcers, 30–32
Cramps, in amyotrophic lateral sclerosis, 717
in neuromuscular disorders, 707–708
Cranial neuropathy, in HIV infection, 286, 296
Crohn's disease. See *Inflammatory bowel disease.*
Crutches, with diabetic wounds, 101
Cryotherapy, for plantar verrucae, in HIV infection, 323–324
Cryptococcosis, in HIV infection, 273–274
skeletal, 677–678
Crystal arthropathies, 456
Cultures, keratinocyte, for diabetic wound healing, 133–134
Curettage, of verrucae, in HIV infection, 325–326
Cyclosporin A, in inflammatory bowel disease, 427
Cytomegalovirus infections, in HIV infection, 274–275, 297

Dapsone, in pyoderma gangrenosum, 416
ddC (zalcitabine, Hivid), in HIV infection, 229, 242, 266
ddI (didanosine, Videx), in HIV infection, 230–231, 242, 266
Débriding agents, for diabetic wounds, 145
Deep venous thrombosis, 532–533, 662–666
Deformities, structural, diabetic ulcers in, 13–17, 27, 160
Delavirdine, in HIV infection, 233–234, 242–243
Depression, 623–626
in HIV infection, treatment of, 246–247
Depth-inlay shoes, for diabetic wounds, 102–103
Dermal and dermal-epidermal grafts, for diabetic wound healing, 123–125
Dermal-epidermal junction, histology of, 131
Dermatitis, atopic, distribution of, 571
seborrheic, distribution of, 571
in HIV infection, 272, 276–277
Dermatologic diseases, **389–409**, 541–543
clinical features of, 389–390
in cardiovascular disease, 537
in HIV infection, 570, 573, 581. See also *Verrucae.*
basal cell carcinoma, 279
folliculitis, 278
Kaposi's sarcoma, 268, 277, 338
physical therapy and, 330
seborrheic dermatitis, 272, 276–277
in inflammatory bowel disease, 413–417
in psoriatic arthritis, 450–452
in Reiter's syndrome, 455
in rheumatoid arthritis, 442–443
in seronegative arthropathies, 447–448, 450–452, 455
keratotic, 393–399
macular, 390–393
nodular, 406–408
purpuric, 402–406
vesiculobullous, 399–402
Dermatomyositis, 731
Dermatophytes, in onychomycosis, 306
Dermis, histology of, 130–131
substitutes for, for diabetic wound healing, 134
Desmopressin, in von Willebrand's disease, 502
Diabetes mellitus, amyotrophy in, 724
demographic factors in, wound healing and, 28–29
healing in. See *Healing, of diabetic wounds.*
neuropathic joint disease in, 456, 458–464
oral hypoglycemic agents for, pharmacology of, 694–702
peripheral neuropathy in, 636, 722, 724
peripheral vascular disease in. See *Peripheral vascular disease, in diabetes mellitus.*
polyneuropathy in, 722
ulcers in. See *Ulcer(s), diabetic.*
Dialysis, complications of, 520–521
Didanosine (Videx), in HIV infection, 230–231, 242, 266
Diet, in inflammatory bowel disease, 422–423
Diffuse infiltrative lymphocytosis syndrome, in HIV infection, 298–299
Digital subtraction angiography, in peripheral vascular disease, 653–656
Dimethyl ether cryotherapy, for plantar verrucae, in HIV infection, 323–324
Disability, HIV infection as. See *Americans with Disability Act of 1990.*
Disinfection, in bloodborne pathogen protection, 353–359
Disseminated intravascular coagulopathies, 509–512
Distal symmetric polyneuropathy, in diabetes mellitus, 722
in HIV infection, 288–290
drug-related, 290–292
in vitamin B_{12} deficiency, 292–293
physical therapy and, 333–334
Diuretics, in renal disease, 516–517
DMP266, in HIV infection, 237
Doppler studies, in diabetic ischemia, 62–64

Doppler studies *(Continued)*
in peripheral vascular disease, 650–652
in venous disease, 532
Dorsalis pedis pulse, assessment of, 608
Down syndrome, flatfoot in, 487
Dressings, for diabetic wounds, 143–145
biologic, **129–137**
Dronabinol, in HIV infection, 247
Drugs, distal symmetric polyneuropathy from, in HIV infection, 290–292
intravenous abuse of, HIV infection in, prevention of, 183
peripheral neuropathy from, 763
pharmacology of. See *Pharmacology.*
Duchenne's muscular dystrophy, 728–729
Dysesthesias, differential diagnosis of, 747
in HIV infection, 283
Dysfibrinogenemia, 508
Dyskinesia, in cerebral palsy, 715
d4T (stavudine), in HIV infection, 231

Eaton-Lambert syndrome, in HIV infection, 285
Edema, differential diagnosis of, 748–749
in cardiovascular disease, 534
in diabetes mellitus, wound healing in, 27
of lymphatic system, 666–669
test for, 606
Edge effect, in diabetic wound pathogenesis, **105–108**
Education, for diabetic wound complication prevention, 156–157, 163
Electrical stimulation, in pain management, in HIV infection, 342
Electromyography, in neuromuscular disorders, 712–713
Embolism, arterial, 527, 529–530
acute, 636–637
gas, venous, 533
pulmonary, in deep venous thrombosis, 532–533, 662
Emery-Dreifuss muscular dystrophy, 730
Emollients, in keratoses, 398
Emotional disorders. See *Psychiatric disorders.*
Endocarditis, bacterial, 404–406, 534–535
Endothelial function, in diabetic wound healing, **85–93**
in inflammation, 86
in maturation, 86
in microcirculation, 87–92
in proliferation, 86
Enthesopathy, 447
in Reiter's syndrome, 454
Entrapment neuropathies, 724–726
Enzymatic débriding agents, for diabetic wounds, 145
Enzyme-linked immunosorbent assay, for HIV, 261
Epidermal growth factor, in diabetic wound healing, 121–123
Epidermis, histology of, 131
Epithelialization, in healing, 4
Equinovarus deformity, 487–489, 526–527
in muscular dystrophies, 729
in spinal muscular atrophy, 719
Equinus deformity, in cerebral palsy, 715
in muscular dystrophies, 729
in poliomyelitis, 720
Erythema migrans, in Lyme disease, 681
Erythema nodosum, in inflammatory bowel disease, 414–415
Erythromelalgia, 640
Etretinate, in keratoses, 400
Exercise, in HIV infection, benefits of, 341–342
in cardiopulmonary disease, 331
in myopathy, 336–337
in rheumatologic disease, 341
in weakness, 337–338
in lymphedema, 668
in peripheral vascular disease, 657
Exostectomy, midfoot, in diabetic ulcer prevention, 167–168
Eye, examination of, in systemic disease, 576–584
Eyelid, examination of, 579–581
Eyewear, in bloodborne pathogen protection, 352

Facioscapulohumeral muscular dystrophy, 731
Factor V deficiency, 504
Factor VII deficiency, 504
Factor VIII deficiency, 504–506
Factor IX deficiency, 506
Factor X deficiency, 506
Factor XI deficiency, 506–507
Factor XII deficiency, 507
Factor XIII deficiency, 507
Familial Mediterranean fever, 392
Fasciculations, in amyotrophic lateral sclerosis, 717
Fat, inflammation of (panniculitis), 407–408
Fatigue, in neuromuscular disorders, 707–708
Felted foam pads, in footwear, for diabetic wounds, 101
Femoral artery, bypasses using, in peripheral vascular disease, 659
catheterization of, complications of, 531
Femoral nerve entrapment, 725
Femoral pulse, assessment of, 608
Fibrinogen deficiency and defects, 508
Fibroblast growth factor, in diabetic wound healing, 122–123

Fibromyalgia, in HIV infection, 340
Fibroplasia, in healing, 4
Filariasis, lymphedema in, 666
Films, transparent, in diabetic wound healing, 144
Flatfoot, 481–487
  calcaneovalgus, 483, 486
  congenital convex pes valgus, 482–483
  flexible, 487
  in systemic conditions, 487, 526–527
  in tarsal coalition, 484–486
  peroneal spastic (tarsal coalition), 484–486
Fluconazole, in onychomycosis, in HIV infection, 313
Folliculitis, in HIV infection, 278
Foot drop, in mononeuropathy multiplex, in HIV infection, 295–296
  in peroneal neuropathy, 725
Footwear, for diabetic wounds, 163–165
    depth-inlay shoes, 102–103
    felted foam pads in, 101
    half shoes, 99–100
    healing sandals, 100–101
    socks, 165
  for HIV infection, 330, 338
Fractures, neuropathic, 459
Freezing, for plantar verrucae, in HIV infection, 323–324
Fremitus, tactile, evaluation of, 595
Friedreich's ataxia, 716
Fungal infections. See also *Onychomycosis*.
  in HIV infection, 272–273

Gag reflex, testing of, 593
Gait disorders, in cerebellar lesions, in HIV infection, 286
  in neuromuscular disorders, 708–709
  in peroneal neuropathy, 725
Ganciclovir, in cytomegalovirus infections, in HIV infection, 297
Gangrene, in vasculitis, 536–537
Gas embolism, venous, 533
Gastrointestinal disease, inflammatory bowel disease. See *Inflammatory bowel disease*.
Gauze dressings, in diabetic wound healing, 143–144
Genitalia, examination of, in systemic disease, 617–618
Gigantism, of toes, 490–491
Glaxo-Wellcome 141W94, in HIV infection, 237
Gloves, in bloodborne pathogen protection, 350–352
"Gloves and socks" syndrome, 405
Glucagonoma syndrome, 392–393, 401
Glucose, control of, in diabetes mellitus, ulcer risk and, 13–17, 161–162
  wound healing and, 28, 41–42, 45–46
  measurement of, in differential diagnosis, 760
α-Glucosidases, pharmacology of, 697–698
Glutamic oxaloacetic transaminase, measurement of, in differential diagnosis, 759
Glutamic pyruvic transaminase, measurement of, in differential diagnosis, 759
Glutaraldehyde, in equipment sterilization, 354
Gold salts, in inflammatory bowel disease, 428
Gonorrhea, arthritis in, 682–683
Gout, 456
Gowns, in bloodborne pathogen protection, 352
Grafts, tissue, for diabetic wound healing, 123–126
Graves' disease, 392
Growth factors, in diabetic wound healing, 121–123, 145
Growth hormone, in HIV infection, 247
Guillain-Barré syndrome, 720–721
  in HIV infection, 271, 293–294

Haemophilus influenzae, in arthritis, 684
Half shoes, for diabetic wounds, 99–100
Hallux valgus, in rheumatoid arthritis, 438
Hammer toes, in rheumatoid arthritis, 441
Hand, foot, and mouth disease, 401
Head and neck, examination of, in systemic disease, 573–576
Healing, of diabetic wounds, conservative care in, 58
    cost considerations in, 30–32
    delays in, 7
    edge effect in, **105–108**
    endothelial function in, **85–93**
    growth factors in, 121–123
    hyperbaric oxygen therapy for, 118–121
    living skin equivalents in, **129–137**
    new modalities for, **117–128**
    normal, 1–2
    nutrition in, **41–48**
    outcome of, **21–39**
    phases of, 2–5
    physiology of, 140
    potential of, vascular evaluation in, 71, 73
    pressure off-loading options for, **95–104**, 105–108
    preventive measures for, **155–174**
    risk factors and, **11–19**, 141–142, 157–164

Healing *(Continued)*
skin stretching technique in, **109–116**
systemic considerations in, **41–48**
temperature detection by palpation and, **151–153**
timeline for, **1–9**
tissue therapies for, 123–126
variations in, 5–6
vascular evaluation and, **49–83**
versus cause, 21–22
versus site, 2, 23
wound assessment and, 141–143
wound care products for, **139–150**
Healing sandals, for diabetic wounds, 100–101
Health care workers, bloodborne pathogen exposure of. See *Bloodborne pathogen exposure.*
tuberculosis transmission to, 364, 373–376
Hearing tests, 586–587
Heart, examination of, in systemic disease, 598–606
Heel pain, in Reiter's syndrome, 454
Hematologic disorders, in HIV infection, 269–270
Hemodialysis, dermatologic diseases in, 400
Hemophilia A (factor VIII deficiency), 504–506
Hemophilia B (factor IX deficiency), 506
Hemostasis defects, primary, 500–501
secondary, 502–504
Henoch-Schönlein purpura, 403–404
Hepatitis, viral, arthritis in, 684
prevention of. See *Bloodborne pathogen exposure, prevention of.*
Hereditary motor sensory neuropathy (Charcot-Marie-Tooth disease), 722–724
Herpes gestationis, 401
Herpes simplex virus infections, in HIV infection, 268
Histofreezer cryotherapy, for plantar verrucae, in HIV infection, 323–324
Histoplasmosis, in HIV infection, 274
skeletal, 676–677
HIV. See *Human immunodeficiency virus.*
Howel-Evans syndrome, 394
Human immunodeficiency virus, antigens of, assays for, 262
molecular biology of, **189–202**
characteristics, 191
classification, 189–191
genes, 191–193
life cycle, 193–196
origin, 190
phylogeny, 189–191
proteins, 191–197
provirus, 195
replication, 193–197
structure, 191–193
transcriptional regulation, 196–197
types, 180, 190
Human immunodeficiency virus infection, autonomic dysfunction in, 334
basal cell carcinoma in, 279
brain lesions in, 287
physical therapy and, 332–333
brain stem lesions in, 286
candidiasis in, 272–273, 306–309, 311–313
cardiac disorders in, physical therapy and, 331
cerebellar lesions in, 286
clinical features of, 250–252, 275–278, 281–283. See also *Neurologic problems, in HIV infection.*
cryptococcosis in, 273–274
cytomegalovirus infections in, 274–275, 297
epidemiology of, **179–187**, 189, 249
AIDS cases reported, 184–185
areas of concern in, 181–182
future of, 185–186
global picture of, 179–180
historical aspects of, 180–181
in pediatric patients, 182–183
prevalence of, 181–182
transmission and, 181
examination in, **249–280**
history in, 252–257
laboratory studies in, 261–265
physical, 257–260
fibromyalgia in, 340
Guillain-Barré syndrome in, 271, 293–294
hematologic disorders in, 269–270
herpes simplex virus infections in, 268
histoplasmosis in, 274
historical aspects of, 190–191
epidemiology of, 180–181
in pediatric patients, epidemiology of, 182–183
infections in, 249–250, 268–270, 273–275, 278–279
skeletal, 673–674
treatment of, 244–245, 267
Kaposi's sarcoma in, 268, 277, 338
laboratory studies in, 261–265
latent period in, 198
legal aspects of, **203–225**
lumbar plexus lesions in, 285–286
lymph node involvement in, laboratory studies in, 265
lymphoma in, 273
meningitis in, 274
molluscum contagiosum in, 269
mood disorders in, 246–247
musculoskeletal diseases in, 470–473
myopathy in, 285, 299–300, 335–338
natural history of, 180–181, 198–199

legal aspects of, 204
nerve root lesions in, 285–286
neurologic problems. See *Neurologic problems.*
neuromuscular junction disorders in, 285
onychodystrophy in, 275–276
onychomycosis in, 275–276, **305–315**
pain in. See *Pain.*
pathogenesis of, 198–199
peripheral neuropathy in, 283–285, 333–338
physical therapy in, **329–346**
Pneumocystis carinii pneumonia in, 275
prevalence of, 181–184
prevention of. See *Bloodborne pathogen exposure, prevention of.*
primary (acute), 198
psoriasis in, 272, 277, 339–340
Reiter's syndrome in, 271, 339, 674
respiratory disorders in, physical therapy and, 331
retinitis in, 273
rheumatologic disease in, physical therapy for, 339–341
seborrheic dermatitis in, 272, 276–277
sicca syndrome in, 339–340
skin lesions in. See *Dermatologic diseases, in HIV infection.*
spinal cord lesions in, 286, 300, 338–339
stress in, physical therapy for, 342
systemic diseases in, 268–275
tarsal tunnel syndrome in, 285
thrush in, 272–273
tinea pedis in, 278
toxoplasmosis in, 268–269
transmission of, 181, 349–350
from health care worker to patient, 366–367
legal aspects of, 205
prevention of, 183–184. See also *Bloodborne pathogen exposure, prevention of.*
treatment of, **241–248**, 251, 265–267
analgesics in, 245–246
antidepressants in, 246–247
antimicrobials in, 244–245
antiretroviral agents in. See *Antiretroviral agents*; specific drugs.
legal aspects of, **203–225**
weight gain agents in, 247
tuberculosis in, 268
occupational exposure to, 373–376
ulcerations in, 279
vasculitis in, 272, 279–280, 339–340
neuropathy in, 298
verrucae in, 272, 276, **317–327**
weight loss in, treatment of, 247
Human papillomavirus, in verrucae, clinical manifestations of, 318–321
molecular biology of, 317–318
pathogenic effects of, 318–321
transmission of, 318–319
Human T-cell leukemia virus, 190
Hydrating solutions, in diabetic wound healing, 146–147
Hydrophilic dressings, in diabetic wound healing, 144–145
Hyperbaric oxygen therapy, for diabetic wound healing, 118–121
Hyperglycemia, diabetic ulcer risk and, 13–17
vascular effects of, 43
wound healing in, 41–42, 45–46
Hyperinsulinemia, wound healing in, 45
Hypersensitivity, in distal symmetric polyneuropathy, in HIV infection, 288
Hypertrophic osteoarthropathy, 470
in inflammatory bowel disease, 419–420
Hypothyroidism, 394–395

Immunoglobulin(s), intravenous, in inflammatory demyelinating polyneuropathy, in HIV infection, 294
Immunosuppressive therapy, for inflammatory bowel disease, 427
Indinavir, in HIV infection, 235–236, 242, 267
Indirect immunofluorescence antibody assay, for HIV, 261
Infections, control programs for, for bloodborne pathogens, 359–360
in HIV infection, 249–250, 268–270, 273–275, 278–279
treatment of, 244–245, 267
in renal disease, 519
of diabetic wounds, 16–17, 26–27, 44–45
skeletal, **673–686**, 769–771
Aspergillus fumigatus, 678–679
Blastomyces dermatitidis, 679
Brucella, 684
Candida, 676
Coccidioides immitis, 678
Cryptococcus neoformans, 677–678
Haemophilus influenzae, 684
Histoplasma capsulatum, 676–677
in hepatitis B, 684
in HIV infection, 673–674
in Lyme disease, 681–682
in syphilis, 683
Neisseria gonorrhoeae, 682–683
Nocardia, 680–681
Salmonella, 681
Sporothrix schenckii, 679–680
tuberculous, 674–675
Inflammation, in healing, 4, 86, 140
Inflammatory bowel disease, 544–546
arterial occlusion in, 529
clinical features of, 411

Inflammatory bowel disease *(Continued)*
dermatologic disease in, 413–417
general features of, 412–413
malnutrition in, 420–424
pathogenesis of, 413
rheumatologic manifestations of, 417–420
treatment of, 424, 426–428
Inflammatory demyelinating polyneuropathy, acute, 293–294, 720–721
chronic, 294–295, 721–722
in HIV infection, acute (Guillain-Barré syndrome), 271, 293–294
chronic, 294–295
physical therapy and, 333–335
Inflammatory myopathy, 731
in HIV infection, 299–300, 336
Insulin, deficiency of, wound healing in, 45
resistance to, vascular effects of, 44–45
Intermittent claudication, in peripheral vascular disease, 633–634, 659
Interphalangeal joint, ankylosis of, in psoriatic arthritis, 452
Iodophors, in bloodborne pathogen protection, 356
Irrigation, of diabetic wounds, cleansing agents for, 147
Ischemia, 527–529, 537
in diabetes mellitus, 17, **49–83**
diagnosis of, 56–57
Mönckeberg's medial calcific sclerosis in, 61–62
pathophysiology of, 50–51
patterns of, 51–52
relative, 52–53, 60
treatment of, 53–54
acute, 54
nihilism in, 54–55
options for, 58–59
revascularization in, 57–60
team for, 58
vascular evaluation in, 60–66
algorithm for, 66–74
in peripheral vascular disease, acute, 636–637
rest pain in, 634
ulcers in, 644, 648
Isotretinoin, in keratoses, 400
Itching, differential diagnosis of, 753
Itraconazole, ankle edema related to, 534
in onychomycosis, in HIV infection, 313

Janeway's lesions, in endocarditis, 535
Joints, infections of. See *Infections, skeletal.*
limited mobility of, diabetic ulcers in, 13
pain in, differential diagnosis of, 750
swelling of, differential diagnosis of, 751
Jugular venous pulse, assessment of, 604
Juvenile chronic arthritis, 492–493

Kaposi's sarcoma, 393
in HIV infection, 268, 277
shoe modifications for, 338
Kawasaki's disease, 392
Keratinocytes, cultures of, for diabetic wound healing, 133–134
histology of, 131
Keratoderma blennorrhagicum, in Reiter's syndrome, 455
Keratolytic agents, 398–399
Keratoses, 393–399
in neoplasms, 396–398
in rheumatoid arthritis, 441
in systemic illness, 394–396
treatment of, 398–399
Ketoconazole, in onychomycosis, in HIV infection, 313
Kidney, disease of, **513–522**, 556–559
arterial occlusion in, 530
end-stage, peripheral vascular disease and, 636
palpation of, 617
Kugelberg-Welander disease, 718–719

Lactate dehydrogenase, measurement of, in differential diagnosis, 759
Lambert-Eaton syndrome, 727
Lamivudine, in HIV infection, 231–232, 242
Legal issues, in HIV infection, **203–225**. See also *Americans with Disability Act of 1990.*
as protected disability, 205–206
Department of Justice rules and regulations, 218–220
duty to refer or consult, 206
natural history and, 204–205
referral procedure, 207–208
refusal to treat, 208–210
case examples, 211–218
"direct threat" defense for, 220–222
Rehabilitation Act and, 205, 208–210
state statues, 218
transmission and, 204–205
Lentiviruses. See also *Human immunodeficiency virus.*
characteristics of, 191
Leukocytoclastic angiitis, 403–404, 406
Leukocytoclastic vasculitis, 393
Leukopenia, in HIV infection, 270
Lewis' flare (axon reflex vasodilation), in diabetes mellitus, microcirculatory effects of, 89

Limb girdle muscular dystrophy, 730
Limb salvage, in peripheral vascular disease, 636, 660
Lipoprotein profile, in differential diagnosis, 758
Livedo reticularis, 640
Liver, disease of, coagulopathies in, 509
  enzymes of, measurement of, in differential diagnosis, 759
  palpation of, 617
  percussion of, 615
Living skin equivalents, in diabetic wound healing, 123–126, **129–137**, 132
    composites, 135–136
    dermal substitutes, 134
    keratinocyte cultures, 133–134
    safety in, 132
    skin histology and, 130–131
Long terminal repeats, of human immunodeficiency provirus, 195–197
Lumbar plexopathy, in diabetes mellitus, 724
  in HIV infection, 285–286
Lumbar sympathectomy, in peripheral vascular disease, 661
Lutembacher's syndrome, digital clubbing in, 536
Lyme disease, skeletal manifestations of, 681–682
Lymphatic system, examination of, 609
Lymphedema, 666–669
Lymph nodes, enlargement of, in HIV infection, 265
  of neck, palpation of, 575–576
Lymphocytes, in healing, in diabetes mellitus, 41–42
Lymphocytosis, diffuse infiltrative, in HIV infection, 298–299
Lymphoma, in HIV infection, 273
Lymphoscintigraphy, 668

Macrodactyly, 490–491
Macrophages, in healing, in diabetes mellitus, 41–42
Macular diseases, 390–393
Madura foot, 680–681
Magnetic resonance angiography, in peripheral vascular disease, 656–657
Magnetic resonance imaging, in neuromuscular disorders, 712
Malabsorption, in inflammatory bowel disease, 422–423
Malignant melanoma, examination for, 570
Malnutrition, in inflammatory bowel disease, 420–424
Masks, in bloodborne pathogen protection, 352–353
Maturation phase, of healing, 86, 140
Mediterranean fever, familial, 392
Megestrol, in HIV infection, 247
Meige's disease, 666
Melanoma, examination for, 570
Membranes, transparent, in diabetic wound healing, 144
Meningitis, in HIV infection, 274
Meningococcemia, 390
6-Mercaptopurine, in inflammatory bowel disease, 427
Mesalamine, in inflammatory bowel disease, 424, 426
Metatarsals, osteotomies of, in diabetic ulcer prevention, 167
  short, 491–492
Metatarsophalangeal joint, rheumatoid arthritis of, 436–438, 440–441
Metformin, pharmacology of, 698–700
Methotrexate, in inflammatory bowel disease, 428
Metronidazole, in inflammatory bowel disease, 428
Microangiopathy, in diabetes mellitus, wound healing in, 28
Microcirculation, in diabetic wound healing, endothelial function in, 87–92
    skin stretching closure method and, 110, 113
Midtarsal joint, neuropathic, 459
Milroy's disease, 666
Mind-body connection, 619–620
Mohr syndrome, 526
Molluscum contagiosum, in HIV infection, 269
Mönckeberg's medial calcific sclerosis, in diabetes mellitus, 61–62
Mononeuropathy multiplex, 724
  in HIV infection, 295–296, 333–334
Mood disorders, in HIV infection, treatment of, 246–247
Mortality, in diabetic ulcers, 30
Motor examination, in neuromuscular disorders, 709
Motor neuron disease, 716–720
  amyotrophic lateral sclerosis, 716–717
  poliomyelitis, 719–720
  spinal muscular atrophy, 718–719
Mouth, examination of, 590–592
Mucocutaneous lymph node syndrome, 392
Muscles, biopsy of, in neuromuscular disorders, 713
Muscular dystrophies, 728–731
  Becker's, 729–730
  Duchenne's, 728–729
  Emery-Dreifuss, 730
  facioscapulohumeral, 731
  limb girdle, 730
Musculoskeletal disorders, 769–771. See also specific diseases, e.g., *Arthritis; Myopathy.*

Musculoskeletal disorders *(Continued)*
diabetic ulcers in, 13–17, 27, 160
Musculoskeletal system, examination of, in systemic disease, 618
Myasthenia gravis, 726–727
in HIV infection, 285
Mycobacterium tuberculosis, in skeletal infections, 674–675
Myelomeningocele, pes valgus in, 482–483
Myelopathy, in HIV infection, 300
Myocardial infarction, 531–532
Myopathy, in HIV infection, 285, 299–300
physical therapy for, 335–338
in renal disease, 519
inflammatory, 731
muscular dystrophies, 728–731
physical examination in, in neuromuscular disorders, 708–710

Naftifine, in onychomycosis, in HIV infection, 312
Nail disorders. See also *Onychomycosis.*
differential diagnosis of, 752
in HIV infection, 275–276
in Reiter's syndrome, 454–455
prevention of, prophylactic surgery in, in diabetic foot care, 166–167
Naviculocuneiform joint, neuropathic, 459
Neck, examination of, in systemic disease, 573–576
Needlestick injury, prevention of, 359
risks in, 364–366
Nelfinavir, in HIV infection, 236, 242
Neoplasms, keratotic, 396–398
Nephropathy, diabetic, wound healing in, 28
Nerve(s), biopsy of, in neuromuscular disorders, 713
Nerve conduction studies, in HIV infection, in distal symmetric polyneuropathy, 288–289
in Guillain-Barré syndrome, 294
in neuromuscular disorders, 712–713
Nerve growth factor, in distal symmetric polyneuropathy, in HIV infection, 290
Nerve root lesions, 726
in HIV infection, 285–286, 297, 333–334
Neurofibromatosis, macrodactyly in, 491
Neurologic examination, 707–708
Neurologic problems, **705–737**, 774–778. See also *Neuropathy; Peripheral neuropathy; Polyneuropathy.*
amyotrophic lateral sclerosis, 716–717
approach to, 705–706
botulism, 727
central nervous system, 713–716
cerebral palsy, 714–726
classification of, 705–706
diagnostic evaluation of, 710–713
Friedreich's ataxia, 716
history in, 707
in HIV infection, **281–303**
autonomic dysfunction, 334
brain lesions, 287, 332–333
brain stem lesions, 286
causes of, 282
chronic inflammatory demyelinating polyneuropathy, 294–295
clinical features of, 283
diffuse infiltrative lymphocytosis syndrome, 298–299
distal symmetric polyneuropathy, 288–290
drug-related, 290–292
in vitamin B_{12} deficiency, 292–293
physical therapy and, 333–334
Guillain-Barré syndrome, 271, 293–294
incidence of, 282
localization of, 283–287
mononeuropathy multiplex, 295–296, 333–334
myelopathy, 300
painful vasculitic neuropathy, 298
peripheral neuropathy, 283–285, 333–338
physical therapy and, 331–339
progressive polyradiculopathy, 297, 333–334
spinal cord lesions, 286, 292–293, 300
weakness, 300–301
Lambert-Eaton myasthenic syndrome, 727
motor neuron disease, 716–720
myasthenia gravis, 285, 726–727
neurologic examination in, 707–708
neuromuscular junction, 285, 726–729
physical examination in, 708–710
poliomyelitis, 719–720
spinal muscular atrophy, 718–719
Neuromuscular junction disorders, 726–729
botulism, 727
in HIV infection, 285
Lambert-Eaton syndrome, 727
myasthenia gravis, 285, 726–727
Neuropathic joint disease, 456, 458–464
Neuropathy. See also *Peripheral neuropathy; Polyneuropathy.*
diabetic, examination for, 169–170
microcirculatory effects of, 89, 91–92
ulcers in, 12–17, 160–161
wound healing in, 7, 27, 158
in renal disease, 519
ulcers in, 644
Neutropenia, in HIV infection, 270
Nevirapine (Virammune), in HIV infection, 232–233, 242, 266–267
Nicotine, in inflammatory bowel disease, 428

Nitric oxide, microcirculatory effects of, 87–88, 91
Nocardiosis, skeletal, 680–681
Nodular dermatologic diseases, 406–408
Nodules, rheumatoid, 442
Nonsteroidal anti-inflammatory drugs, pharmacology of, 687–690
Noonan's syndrome, digital clubbing in, 536
Nortriptyline, in distal symmetric polyneuropathy, in HIV infection, 290
Numbness, differential diagnosis of, 747
  in HIV infection, 283
    in distal symmetric polyneuropathy, 288
    in progressive polyradiculopathy, 297
    in vasculitic neuropathy, 298
Nutrition, deficiencies in, in inflammatory bowel disease, 420–424
  in diabetic wound healing, **41–48**, 162–163

Occupational exposure, to bloodborne pathogens. See *Bloodborne pathogen exposure.*
  to tuberculosis, 364, 373–376
Occupational Safety and Health Administration, bloodborne pathogen regulations of, 352–353, 360, 370, 372
  tuberculosis policy of, 375–376
Off-loading diabetic wounds, **95–104**
  edge effect in, 105–108
Onychodystrophy, in HIV infection, 275–276
Onychomycosis, in HIV infection, 275–276
    causative agents of, 306
    classification of, 307–308
    clinical features of, 306–310
    conditions associated with, 309–310
    diagnosis of, 310–311
    epidemiology of, 305–306
    proximal white subungual, 309, 311
    treatment of, 311–314
Ophthalmoscopic examination, 583–584
Opportunistic infections, in HIV infection, treatment of, 244–245, 267
Oral cavity, examination of, in systemic disease, 590–592
Oral-facial-digital syndromes, 526
Oral hypoglycemic agents, pharmacology of, 694–702
    biguanides, 698–700
    α-glucosidases, 697–698
    sulfonylureas, 694–697
    thiazolidinediones, 700–702
Orthoses, in HIV infection, for neurologic disorders, 337–338
    for skin disorders, 330

Osler's nodes, in endocarditis, 535
Osteoarthritis, 466, 468, 470
Osteoarthropathy, hypertrophic, 470
    in inflammatory bowel disease, 419–420
Osteochondroses, 493–494
Osteodystrophy, renal, 519
Osteomalacia, 475–476, 519
Osteomyelitis. See *Infections, skeletal.*
Osteopenia, 473–476
Osteoporosis, 474–475
Otoscopic examination, 587–588
Oxandrolone, in HIV infection, 247
Oximetry, in peripheral vascular disease, 652
Oxygen embolism, venous, 533
Oxygen pressure, transcutaneous, measurement of, in diabetic wound healing, 90
Oxygen therapy, hyperbaric, for diabetic wound healing, 118–121

Pain, differential diagnosis of, 741–742, 754
  heel, in Reiter's syndrome, 454
  in blue toe syndrome, 638
  in HIV infection, in diffuse infiltrative lymphocytosis syndrome, 298–299
    in distal symmetric polyneuropathy, 288, 291
    in myopathy, 299–300, 336
    in progressive polyradiculopathy, 297
    in rheumatologic disease, 340–341
    in vasculitic neuropathy, 298
    physical therapy for, 341–342
    physical therapy modifications for, 331–332, 334–335
    treatment of, 245–246, 334–335
  in neuromuscular disorders, 707
  in pediatric patients, 492–494
  in peripheral vascular disease, 633–634
  in radiculopathy, 726
  joint, differential diagnosis of, 750
  management of, in depression, 624–625
  neuropathic, in diabetes mellitus, 722
Palate, examination of, 592
Palpation, in temperature difference detection, in diabetic limbs, **151–153**
Panniculitides, 407–408
Papular-purpuric "gloves and socks" syndrome, 405
Paradoxical embolism, arterial, 527
Parahemophilia (factor V deficiency), 504
Paralysis, in acute inflammatory demyelinating polyneuropathy, 720–721
Paraneoplastic syndromes, Bazex's syndrome, 395
  pemphigus, 400

Paraparesis, in HIV infection, in myelopathy, 300
in progressive polyradiculopathy, 297
in spinal cord lesions, 286
Parasitic infections, in HIV infection, 278–279
Paresthesias, differential diagnosis of, 747
in HIV infection, 283
in distal symmetric polyneuropathy, 288
in progressive polyradiculopathy, 297
in vasculitic neuropathy, 298
in vitamin B_{12} deficiency, 292–293
Pediatric patients, HIV infection in, 182–183
musculoskeletal diseases in, **481–497**, 550–552
chronic arthritis, 492–493
digital anomalies, 489–492
flatfoot, 481–487, 526–527
osteochondroses, 493–494
talipes equinovarus, 487–489, 526–527
toe-walking, 494–496
Pemphigus, paraneoplastic, 400
Pentoxifylline, in peripheral vascular disease, 658
Periostitis, in ankylosing spondylitis, 450
in syphilis, 683
Peripheral neuropathy, 720–726. See also *Polyneuropathy.*
Charcot-Marie-Tooth disease, 722–724
compression syndromes, 724–726
differential diagnosis of, 762
drug-induced, 763
entrapment syndromes, 724–726
focal, 724–726
in diabetes mellitus, 636, 722, 724
in HIV infection, 283–285, 333–338
mononeuropathy multiplex, 724
Peripheral vascular disease, **629–672**, 767–769
arterial, 527–529, 629–662
acrocyanosis, 639–640
acute ischemic, 636–637
anatomic considerations in, 629–631
atheroembolic (blue toe syndrome), 638
Buerger's disease, 639
calcific, 635–636
chronic, 631–634
conditions aggravating, 632
erythromelalgia, 640
history of, 640–641
in diabetes mellitus, 634–636
in kidney disease, 636
livedo reticularis, 640
nonatherosclerotic, 639–640
noninvasive evaluation of, 646–652
physical examination in, 641–644
radiology in, 652–657
Raynaud's syndrome, 639
risk factor reduction in, 632
treatment of, 657–662
ulcerations in, 644–646
vasculitis, 640
in diabetes mellitus, 634–636
as ulcer risk, 158–159
endothelial function in, 91
healing in, 7, 24–26
ischemia in. See *Ischemia.*
types of, 43
lymphatic, 666–669
venous, 662–666
Peripheral vascular system, examination of, in systemic disease, 606–610
Peroneal nerve compression, 725
Peroneal spastic flatfoot (tarsal coalition), 484–486
Pes cavus, in Charcot-Marie-Tooth disease, 723–724
in Friedreich's ataxia, 716
Pes valgus, convex, 482–483
Peutz-Jeghers syndrome, 393
Phagocytosis, in healing, in diabetes mellitus, 42
Pharmacology, **687–703**, 771–772
of corticosteroids, 691–694
of nonsteroidal anti-inflammatory drugs, 687–690
of oral hypoglycemic agents, 694–702
Pharynx, examination of, in systemic disease, 592–593
Phenolic compounds, in bloodborne pathogen protection, 357–358
Phosphate measurement, in differential diagnosis, 757
Photoplethysmography, in peripheral vascular disease, 650
Photosensitivity, distribution of, 571
Physical examination, in neuromuscular disorders, 708–710
in peripheral vascular disease, 641–644
in systemic disease, **569–618**
abdomen, 613–617
breast, 610–613
chest, 594–598
ear, 584–588
eye, 576–584
genitalia, 617–618
head and neck, 573–576
heart, 598–606
musculoskeletal system, 618
nose, 589
oral cavity, 590–592
peripheral vascular system, 606–610
pharynx, 592–593
skin, 570–573
Physical therapy, in HIV infection, **329–346**
conditions affecting, cardiac, 331
dermatologic, 330

neurologic, 331–339
pain, 341–342
pulmonary, 331
rheumatologic, 339–341
exercise benefits and, 341–342
Pityriasis rosea, distribution of, 571
Plantar fat pad, atrophy of, in rheumatoid arthritis, 441
Plantar verrucae, in HIV infection, **317–327**
classification of, 319–320
clinical features of, 318–321
papillomavirus molecular biology in, 317–318
pathogenesis of, 318–321
transmission of, 318–319
treatment of, 321–326
Plasmapheresis, in inflammatory demyelinating polyneuropathy, in HIV infection, 294–295
Platelet defects, 500–501
Platelet-derived growth factor, in diabetic wound healing, 122–123, 145
Platelet-derived wound healing formula, 121–122
Plethysmography, in peripheral vascular disease, 647, 649–650
Pneumocystis carinii pneumonia, in HIV infection, 275
Podophyllin, in keratoses, 399
Poliomyelitis, 719–720
Polyarteritis nodosa, 406–407
Polydactylism, 489–490
Polymerase chain reaction, in HIV detection, 262
Polymorphonuclear leukocytes, in healing, in diabetes mellitus, 41–42
Polymyositis, 731
Polyneuropathy, acute inflammatory demyelinating (Guillain-Barré syndrome), 271, 293–294, 720–721
chronic inflammatory demyelinating, 294–295, 721–722
diabetic, 722
distal symmetric. See *Distal symmetric polyneuropathy.*
in HIV infection, acute inflammatory demyelinating (Guillain-Barré syndrome), 271, 293–294
chronic inflammatory demyelinating, 294–295
distal symmetric, 288–290
drug-related, 290–292
in vitamin B_{12} deficiency, 292–293
physical therapy and, 333–334
Polyradiculopathy, diabetic, 724
progressive, in HIV infection, 297, 333–334
Popliteal pulse, assessment of, 608
Posterior tibial pulse, assessment of, 608–609
Postpolio syndrome, 720
Postural control, in HIV infection, physical therapy for, 335
Potassium measurement, in differential diagnosis, 759
Prednisone, in chronic inflammatory demyelinating polyneuropathy, in HIV infection, 295
in vasculitic neuropathy, in HIV infection, 298
Pressure measurements, in peripheral vascular disease, 646
Pressure reduction, on diabetic wounds, **95–104**
depth-inlay shoes in, 102–103
edge effect and, 105–108
felted foam pads in, 101
half shoes in, 99–100
healing sandals in, 100–101
non weight-bearing methods in, 101
total contact casts in, 97–99
Proliferation phase, of healing, 86, 140
Prostaglandins, in peripheral vascular disease, 658
Protease inhibitors, in HIV infection, 227, 234–238, 242–244
Protective equipment, for bloodborne pathogens, 350–352
for tuberculosis, 376
Protein, in blood, in differential diagnosis, 757
Protein losing enteropathy, in inflammatory bowel disease, 423
Prothrombin deficiency, 507–508
Pruritus, differential diagnosis of, 753
Psoriasis, distribution of, 571
in HIV infection, 272, 277, 339–340
Psoriatic arthritis, 450–452
in HIV infection, 674
Psychiatric disorders, 619–628, 765–766
anxiety, 621–624
case studies of, 620–621
depression, 624–626
mind-body connection and, 619–620
referral in, 626–627
Pulmonary disorders, in HIV infection, physical therapy and, 331
Pulmonary embolism, in deep venous thrombosis, 532–533, 662
Pulse, assessment of, 602–604, 607–609
in peripheral vascular disease, 641–644
Pupillary light reflex, testing of, 578
Purpuric eruptions, 402–406
Pyoderma gangrenosum, in inflammatory bowel disease, 415–417

Radial pulse, assessment of, 607

Radiculopathy, 726
diabetic, 724
in HIV infection, 285–286, 297, 333–334
Radiography, in neuromuscular disorders, 712
in peripheral vascular disease, 652–657
Radioimmunoprecipitation antibody assay, for HIV, 261
Raynaud's phenomenon, in systemic lupus erythematosus, 464–465
versus Raynaud's syndrome, 639
Raynaud's syndrome, 639
Reactive arthritis, 452–455
in HIV infection, 674
Referral, in HIV infection, duty to, 206
procedure for, 207–208
to mental health specialist, 626–627
Reflex(es), abnormal, in HIV infection, 283, 291
in vitamin B_{12} deficiency, 292–293
Reflex sympathetic dystrophy, 473
Rehabilitation, physical therapy in. See *Physical therapy.*
Rehabilitation Act, HIV infection and, 205
case examples of, 208–210
provisions of, 208
Reiter's syndrome, 452–455
in HIV infection, 271, 339, 674
Relative ischemia, in diabetes mellitus, 52–53, 60
Renal disease. See *Kidney, disease of.*
Respiratory disorders, in HIV infection, physical therapy and, 331
Rest pain, in diabetes mellitus, ulcer outcome and, 24
in peripheral vascular disease, 634
Restless legs syndrome, in renal disease, 518–519
Retinitis, in HIV infection, 273
Retinoids, in keratoses, 399
Retinopathy, diabetic, wound healing in, 28
Retroviruses, HIV as. See *Human immunodeficiency virus.*
Revascularization, in peripheral vascular disease, 659–660
of diabetic foot, 57–60
Reverse transcriptase, in HIV replication, 194
Reverse transcriptase inhibitors, in HIV infection, 227–234, 237–238, 242–243, 265–267
Rheumatic disease, in HIV infection, physical therapy for, 339–341
in inflammatory bowel disease, 417–420
Rheumatoid arthritis, 436–444
Rheumatoid nodules, 442
Rifampin, in inflammatory bowel disease, 428
Rigid flatfoot (convex pes valgus), 482–483
Rinne test, 586
Ritonavir, in HIV infection, 235, 242–243, 267
Rocky Mountain spotted fever, 390

Sacroiliitis, in inflammatory bowel disease, 417, 419
Salicylic acid, in keratoses, 399
in plantar verrucae, in HIV infection, 322–323
Salmonellosis, skeletal, 681
Sandals, healing, for diabetic wounds, 100–101
Saphenous veins, examination of, 609–610
Saquinavir, in HIV infection, 234–235, 242, 267
Sarcoma, Kaposi's, 268, 277, 338, 393
Sausage toes, in psoriatic arthritis, 452
Sciatica, 726
Sclerotherapy, for varicose veins, 662
Seborrheic dermatitis, distribution of, 571
in HIV infection, 272, 276–277
Segmental pressure examination, in peripheral vascular disease, 646
Sensory disorders, differential diagnosis of, 745, 747
in compression neuropathies, 724–726
in diabetes mellitus, 722
in HIV infection, in distal symmetric polyneuropathy, 288, 291
in mononeuropathy multiplex, 295–296
in nerve root lesions, 286
in peripheral neuropathy, 283–285
in progressive polyradiculopathy, 297
in vasculitic neuropathy, 298
Sensory examination, in neuromuscular disorders, 710
Septic arthritis. See also *Infections, skeletal.*
in HIV infection, 340
Seronegative arthropathies, 444, 446–455
Sexually acquired reactive arthritis, 453
Sexually transmitted diseases, HIV transmission in, 181
Sharps handling, in bloodborne pathogen protection, 359
Shear stress, in diabetic wound pathogenesis, 105–108
Shoes. See *Footwear.*
Sicca syndrome, in HIV infection, 339–340
Sickle cell disease, ulcers in, 645, 648
Simian immunodeficiency virus, 190
Skin, disorders of. See *Dermatologic diseases.*
examination of, in diabetic foot, 170
in systemic disease, 569–573
histology of, 130–131
substitutes for, in diabetic wounds, **129–137**

Skin grafts, for diabetic wound healing, 123–126, 132
Skin stretching technique, for diabetic wound closure, **109–116**
Smoking, Buerger's disease in, 639
Social factors, in diabetic wound healing, 29–30
Sodium bromide, in bloodborne pathogen protection, 358
Sodium measurement, in differential diagnosis, 758
Somatoform disorders, 619–621
Spasticity, flatfoot in, 487
  in cerebral palsy, 715
  in myelopathy, in HIV infection, 300
Sphygmomanometer, in segmental pressure measurement, 646
Spinal cord lesions, in Charcot-Marie-Tooth disease, 722–723
  in Friedreich's ataxia, 716
  in HIV infection, 286, 300
    in vitamin B_{12} deficiency, 292–293
    physical therapy for, 338–339
Spinal muscular atrophy, 718–719
Spine, examination of, in neuromuscular disorders, 708
Spleen, palpation of, 617
  percussion of, 615
Sporotrichosis, skeletal, 679–680
Spumaviruses, 190
Spurs, heel, in ankylosing spondylitis, 449
  in Reiter's syndrome, 455
Stavudine, in HIV infection, 231, 242
Stent placement, in peripheral vascular disease, 661–662
Sterilization, in bloodborne pathogen protection, 353–359
Stork leg appearance, in Charcot-Marie-Tooth disease, 723
Strength testing, in neuromuscular disorders, 709–710
Stress, in HIV infection, physical therapy for, 342
  mechanical, in diabetic wound pathogenesis, 105–108
Stress hormones, diabetic wound healing and, 42
Stress testing, in ischemia, 53–54
Stretching, of skin, Sure-Closure Skin Stretching System for, in diabetic wound closure, **109–116**
Stroke, in HIV infection, 287
Subtalar joint, neuropathic, 459
  rheumatoid arthritis of, 441
Sulfapyridine, in inflammatory bowel disease, 424, 426
Sulfasalazine, in inflammatory bowel disease, 424
Sulfonylureas, pharmacology of, 694–697
Supernumerary toes, 489–490
Supraclavicular nodes, palpation of, 576
Surgery, prophylactic, in diabetic foot care, 166–168
Sway, postural, in HIV infection, physical therapy for, 335
Swelling, joint, differential diagnosis of, 751
Sympathectomy, lumbar, in peripheral vascular disease, 661
Syndactyly, 490
Synovitis, *Cryptococcus neoformans*, 678
  in rheumatoid arthritis, 436–437, 441
Syphilis, 391, 395
  skeletal manifestations of, 683
Systemic disease. See also specific diseases.
  cardiovascular, **523–540**, 559–561
  coagulopathies, **499–512**, 553–555
  dermatologic manifestations of, **389–409**, 541–543
  diabetes mellitus. See *Diabetes mellitus*.
  differential diagnosis of, **739–764**
    blood chemistry studies in, 756–760
    by body organ or body system, 743–754
    in inflammatory arthritis, 762
    in peripheral neuropathies, 762–763
    in ulceration, 761
    list formulation in, 740
    refining of, 749, 755
    screening tests for, 755
    tables for, 740–743
  drugs for, pharmacology of, **687–703**, 772–773
  gastrointestinal, nutritional manifestations of, **411–433**, 544–546
  human immunodeficiency virus infection. See *Human immunodeficiency virus infection*.
  musculoskeletal, **435–480**, 547–549, **673–703**
    in pediatric patients, **481–497**, 550–552
  neuromuscular. See *Neurologic problems*.
  physical examination in, **569–618**
  psychiatric, **619–628**, 765–766
  renal, **513–522**, 556–559
  vascular. See *Peripheral vascular disease*.
Systemic lupus erythematosus, 464–466

T lymphocytes, in HIV infection, 199, 262
Talipes equinovarus, 487–489, 526–527
Talocalcaneal coalition, 484
Talonavicular joint, coalition of, 484
  teratologic dislocation of, 483
Talus, vertical (convex pes valgus), 482–483
TAR sequences, of HIV, 197
Tarsal coalition, 484–486

Tarsal tunnel syndrome, 725–726
in HIV infection, 285
Tarsometatarsal joints, neuropathic, 459–461
3TC (lamivudine), in HIV infection, 231–232, 242
Temperature difference detection, by palpation, in diabetic limbs, **151–153**
Tenosynovitis, in syphilis, 683
of tibialis posterior tendon, 447
Terbinafine, in onychomycosis, in HIV infection, 312–314
Testosterone derivatives, in HIV infection, 247
Tetanus vaccination, for health care workers, 372–373
Thermal barriers, to bloodborne pathogens, 353–355
Thiazolidinediones, pharmacology of, 700–702
Throat, examination of, in systemic disease, 592–593
Thromboangiitis obliterans, 639
Thrombocytopenia, in HIV infection, 270
Thromboembolic disease, 532–533
Thrombophlebitis, 665–666
Thrombosis, arterial, acute, 636–637
deep venous, 662–666
Thrush, in HIV infection, 272–273
Thyroid gland, palpation of, 575
Tibial artery bypasses, in peripheral vascular disease, 659
Tibial nerve compression, in tarsal tunnel, 725–726
in HIV infection, 285
Tibial pulse, posterior, assessment of, 608–609
Tibialis posterior tendon, tenosynovitis of, 447
Tinea pedis, in HIV infection, 277–278
Tissue therapies, for diabetic wounds, 123–126, **129–137**
Toe(s), blue (atheroembolic disease), 638
clubbing of, in cardiovascular disease, 535–536
in inflammatory bowel disease, 419–420
congenital anomalies of, 489–492, 526
deformities of, in seronegative arthropathies, 447–448
gigantism of, 490–491
gout in, 456
hammer, in rheumatoid arthritis, 441
photoplethysmography of, in peripheral vascular disease, 650
prophylactic surgery on, in diabetic foot care, 166–167
sausage, in psoriatic arthritis, 452
supernumerary, 489–490
webbed, 490
Toe-walking, idiopathic, 494–496
Tongue, examination of, 591–592
Tophi, in gout, 456
Topical solutions, in diabetic wound healing, 146–147
Total contact casts, for diabetic wounds, 97–99
Toxoplasmosis, in HIV infection, 268–269
Trachea, palpation of, 576
Transcutaneous oxygen measurement, in diabetic wound healing, 90
in peripheral vascular disease, 652
Transparent films, in diabetic wound healing, 144
Trauma, arterial, ischemia in, 636–637
Tretinoin, in keratoses, 400
Trichophyton, in onychomycosis, 306, 309
Troglitazone, pharmacology of, 700–702
Tuberculosis, in HIV infection, 268
occupational exposure to, 364, 373–376
skeletal, 674–675
Tzank smear, in vesiculobullous disease, 401–402

Ulcer(s), diabetic, assessment of, 141–143
classification of, 15–17, 96
depth of, 16
healing of. See *Healing, of diabetic wounds.*
infection of, 16–17, 26–27
ischemia in. See *Ischemia, in diabetes mellitus.*
long-term prognosis for, 30
pathogenesis of, edge effect in, **105–108**
risk factors for, **11–19**, 157–164
routine examination for, 168–171
vascular evaluation of, 70, 72, 74
differential diagnosis of, 761
in HIV infection, 279
in peripheral vascular disease, 644–646
in sickle cell disease, 645, 648
ischemic, 644, 648
neuropathic, 644
venous stasis, 644–645
Ulcerative colitis. See *Inflammatory bowel disease.*
Universal precautions, for bloodborne pathogens. See *Bloodborne pathogen exposure, prevention of.*
University of Texas Wound Classification System, 15–17, 96
Uric acid measurement, in differential diagnosis, 760

Vaccination, of health care workers, for hepatitis B, 372

for tetanus, 372–373
Varicose veins, 662
Vascular disease, peripheral. See *Peripheral vascular disease.*
Vascular system, examination of, in systemic disease, 606–610
Vasculitis, 536–537, 640
in HIV infection, 272, 279–280, 339–340
neuropathy in, 298
in systemic lupus erythematosus, 465
leukocytoclastic, 393
rheumatoid, 442–443
ulcers in, 645–646
Vasodilation, microvascular, in diabetes mellitus, 89
Vasodilators, in peripheral vascular disease, 658
Venous disease, 532–533, 662–666
Venous insufficiency, chronic, 665
Venous stasis ulcers, 644–645
Verrucae, in HIV infection, 272, 276, **317–327**
classification of, 319–320
clinical features of, 318–321
papillomavirus molecular biology in, 317–318
pathogenesis of, 318–321
transmission of, 318–319
treatment of, 321–326
Vertical stress, in diabetic wound pathogenesis, 105–108
Vesiculobullous diseases, 399–402
VINDICATE mnemonic, for differential diagnosis, 740–745
Viral hepatitis, prevention of. See *Bloodborne pathogen exposure, prevention of.*
Viral infections, in HIV infection, 279
Vision, testing of, 577–578
Vitamin B_{12} deficiency, distal symmetric polyneuropathy in, in HIV infection, 292–293
Vitamin K deficiency, 508–509
von Willebrand's disease, 501–502

Walkers, with diabetic wounds, 101
Walking, difficulty with, differential diagnosis of, 746
Warts. See *Verrucae.*
Waste disposal, of biohazardous materials, 359
Weakness, in acute inflammatory demyelinating polyneuropathy, 720–721
in HIV infection, 300–301
in brain stem lesions, 286
in chronic inflammatory demyelinating polyneuropathy, 294–295
in Guillain-Barré syndrome, 293–294
in myopathy, 285, 299–300, 335–338
in neuromuscular junction disorders, 285
in peripheral neuropathy, 283–285
in spinal cord lesions, 286
in vitamin B_{12} deficiency, 292–293
physical therapy for, 337–338
in inflammatory myopathy, 731
in muscular dystrophies, 728–731
in myasthenia gravis, 727
in poliomyelitis, 720
Webbed toes, 490
Weber test, 586–587
Weber-Cockayne syndrome, 399–400
Weight loss, in HIV infection, treatment of, 247
Werdnig-Hoffman disease, 718
Western blot test, for HIV, 261
Wheelchairs, with diabetic wounds, 101
Winiwarter disease, 639
Wound healing, in diabetes mellitus. See *Healing, of diabetic wounds.*

Yellow nail syndrome, in HIV infection, 310

Zalcitabine (Hivid), in HIV infection, 242, 266
Zidovudine, in HIV infection, 228–229, 242, 265–266